


**6.5" Frameless Ceiling Speaker  
(5W-10W) CNS-706**

## TECHNICAL DATA SHEET



### **DESCRIPTION:**

This high-performance 6.5" ceiling speaker features a sleek design, full-range sound, and durable construction for easy, stylish installation in any venue.

## **FEATURES:**


- Commercial ceiling speaker with transformer.
- 6.5" ceiling speaker for BGM and PA system use.
- Compact size consistent with spot lighting and architectural design.
- Ideal for school, office, hotel and airport background music system.
- Rated power output 5W-10W at 100V.
- 6.5" full range paper driver unit.
- Line input 100V or 70V.
- ABS enclosure and metal grille in white.
- In-ceiling quick installation by spring clip.

## **SPECIFICATIONS:**

Model	CNS-706
Description	6.5" Ceiling Speaker
Rated Power Output	5W-10W
Line Input	100V or 70V
Frequency Response	90HZ-18KHz
SPL(@1W/m)	96dB ±3db
Speaker Unit	6.5" full range paper cone
Cutout Size	171mm
Dimension	188D)×80(H)mm
Material	ABS enclosure and metal grille in white
Mounting Way	In-ceiling spring clip quick installation
Weight	0.8kg



## FREQUENCY RESPONSE VS SPL:



**Email:** [Sales@canscorp.com](mailto:Sales@canscorp.com)

**Add.:** Shop No 5-6, Adinath Alpine building, Plot No. 28 A,  
Sector 25, Khandeshwar, Navi Mumbai, Maharastra 410209

**Web.:** [WWW.CANSCORP.COM](http://WWW.CANSCORP.COM)