

CNS1230 - 1230L 300W OUTDOOR HORN SPEAKER

TECHNICAL DATA SHEET



DESCRIPTION:

The CNS1230 / CNS1230L are 300W constant voltage / constant resistance outdoor horn speakers featuring professional HF and LF drivers, offering high speech intelligibility and a 500m transmission distance, ideal for sports venues and extreme climates, with an IP66 waterproof rating and durable glass fiber enclosure.

FEATURES:


- 2-way High-power outdoor long-throw horn speaker, adopting professional HF LF drivers, with efficient sound transmission, strong penetration, high speech restoration characteristics.
- Cabinet is made of glass fiber, which is waterproof, anti-corrosion, and resistant to hydrochloric acid. Suitable for various extreme climates and environments.
- Widely used in sports venues, schools, training grounds, air defense alerts, beaches, highways, etc.

SPECIFICATIONS:

Rated Power Rated Power	300W
Driver Unit	HF:1*1"Throat/1*3" voice coil,170mm Magnet; LF: 1*12inch/ 2.5"voice coil,156mm Magnet;
Impedance	100V8
Frequency Response (±3dB)	70Hz-20KHz
Sensitivity (1W/1m)	104dB
Max. SPL	130dB
Dispersion	50x90
Handling Power	300W(RMS)/600W(PEAK)
Transmission Distance	500m
Connector	2xNeutrik Speakon NL4
Dimension	430*430*460mm
Net Weight	22±2Kg
Waterproof Level	IP66



INSTALLATION:



Email: Sales@canscorp.com

Add.: Shop No 5-6, Adinath Alpine building, Plot No. 28 A,
Sector 25, Khandeshwar, Navi Mumbai, Maharastra 410209

Web.: WWW.CANSCORP.COM